

GO
[Handwritten marks]

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/72829 A1

(51) International Patent Classification⁷: A61K 9/48,
47/18, 47/12, 47/26, 47/32, 47/34, A61P 3/04

A.: 319 Evergreen Court, Libertyville, IL 60048 (US).
FORT, James, J.; 2700 Leaffield Terrace, Midlothian, VA
23113 (US).

(21) International Application Number: PCT/US00/14109

(74) Agents: SICKERT, Dugal, S. et al.; D377/AP6D, 100
Abbott Park Road, Abbott Park, IL 60064-6050 (US).

(22) International Filing Date: 23 May 2000 (23.05.2000)

(25) Filing Language: English

(81) Designated States (national): CA, JP, MX.

(26) Publication Language: English

(84) Designated States (regional): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE).

(30) Priority Data:
09/323,183 28 May 1999 (28.05.1999) US

Published:
— With international search report.
— Before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments.

(71) Applicant: ABBOTT LABORATORIES [US/US];
D377/AP6D, 100 Abbott Park Road, Abbott Park, IL
60064-6050 (US).

(72) Inventors: LAW, Devalina; 835C Country Club Drive,
Libertyville, IL 60048 (US). KRILL, Steven, L.; 44 Mey-
ersville Road, Chatham, NJ 07928 (US). SCHMITT, Eric,

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.



WO 00/72829 A1

(54) Title: NOVEL FORMULATIONS COMPRISING LIPID-REGULATING AGENTS

(57) Abstract: The present invention is directed to a solid formulation comprising the mixture of a lipid-regulating agent and an excipient, in which said agent and said excipient form a eutectic mixture.

Novel Formulations Comprising Lipid-Regulating Agents

Field of the Invention

5

The present invention relates to novel formulations comprising lipid-regulating agents.

10

Background of the Invention

2-[4-(4-chlorobenzoyl)phenoxy]-2-methyl-propanoic acid, 1-methylethylester, also known as fenofibrate, is representative of a broad class of compounds having pharmaceutical utility as lipid regulating agents. More specifically, this compound is part of a lipid-regulating agent class of compounds commonly known as fibrates, and is disclosed in U.S. Patent No. 4,058,552.

20

Fenofibrate has been prepared in several different formulations, c.f., U.S. Patent No. 4,800,079 and U.S. Patent No. 4,895,726. U.S. Patent No. 4,895,726 discloses a co-micronized formulation of fenofibrate and a solid surfactant.

25

U.S. Patent No. 4,961,890 discloses a process for preparing a controlled release formulation containing fenofibrate in an intermediate layer in the form of crystalline microparticles included within pores of an inert matrix. The formulation is prepared by a process involving the sequential steps of dampening said inert core with a solution based on said binder, then projecting said fenofibrate microparticles in a single layer onto said dampened core, and thereafter drying, before said solution based on said binder dissolves said fenofibrate microparticles, and repeating said three steps in sequence until said intermediate layer is formed.

30

35

European Patent Application No. EP0793958A2 discloses a process for producing a fenofibrate solid dosage form utilizing fenofibrate, a surface active agent and polyvinyl pyrrolidone in which the fenofibrate particles are mixed with a polyvinyl pyrrolidone solution. The thus obtained mixture is granulated with an aqueous solution of one or more surface active agents, and the granules thus produced are dried.

PCT Publication No. WO 82/01649 discloses a fenofibrate formulation having granules that are comprised of a neutral core that is a mixture of saccharose and starch. The neutral core is covered with a first layer of fenofibrate, admixed with an excipient and with a second microporous outer layer of an edible polymer.

U.S. Patent No. 5,645,856 describes the use of a carrier for hydrophobic drugs, including fenofibrate, and pharmaceutical compositions based thereon. The carrier comprises a digestible oil and a pharmaceutically-acceptable surfactant component for dispersing the oil in vivo upon administration of the carrier, which comprises a hydrophilic surfactant, said surfactant component being such as not to substantially inhibit the in vivo lipolysis of the digestible oil.

Sheu, M. T., et al, *Int. J. Pharma.* 103 (1994) 137-146, reported that it is possible that the enhancement of dissolution rate by PEG 6000 might arise from the reduction of particle size and/or increase in wettability.

Palmieri, G. F., *Pharma Sciences* 6 (1996) 188-194, reported that drug solid solutions are formed when the amount of fenofibrate in the powder is below 15%, and that drug solubility is increased by the formation of solid

dispersion, particularly for the ratio of 90:10 carrier:drug.

Gemfibrozil is another member of the fibrate class of
5 lipid-regulating agents. U.S. Patent No. 4,927,639
discloses a disintegratable formulation of gemfibrozil
providing both immediate and sustained release, comprising a
tablet compressed from a mixture of a first and second
granulation, and a disintegration excipient operable to
10 effect partial or complete disintegration in the stomach.
The first granulation comprises finely divided particles of
pure gemfibrozil granulated with at least one cellulose
derivative, and the second granulation comprises finely
divided particles of pure gemfibrozil granulated with a
15 pharmaceutically-acceptable water soluble or insoluble
polymer which are then uniformly coated with a
pharmaceutically-acceptable (meth)acrylate copolymer prior
to admixture with the first granulation. The first and
second granulations are present in the final composition in
20 a ratio of from about 10:1 to about 1:10.

U.S. Patent 4,925,676 discloses a disintegratable
gemfibrozil tablet providing both immediate and enteric
release, which is compressed from a mixture of a first
25 granulation of gemfibrozil with at least one acid-
disintegratable binder, and a second granulation formed from
the first granulation, but regranulated or coated with an
alkali-disintegratable formulation of at least one
substantially alkali-soluble and substantially acid-
30 insoluble polymer.

Another class of lipid-regulating agents are commonly
known as statins, of which pravastatin and atorvastatin are
members. U.S. Patents 5,030,447 and 5,180,589 describe
35 stable pharmaceutical compositions, which when dispersed in
water have a pH of at least 9, and include a medicament
which is sensitive to a low pH environment, such as

prevastatin, one or more fillers such as lactose and/or microcrystalline cellulose, one or more binders, such as microcrystalline cellulose (dry binder) or polyvinylpyrrolidone (wet binder), one or more
5 disintegrating agents such as croscarmellose sodium, one or more lubricants such as magnesium stearate and one or more basifying agents such as magnesium oxide.

10 It is an object of the present invention to provide formulations of lipid-regulating agents having enhanced bioavailability when compared to commercially available formulations.

15 Summary of the Invention

The present invention is directed to a solid formulation comprising the mixture of a lipid-regulating agent and an excipient, such as polyethylene glycol, in
20 which said agent and said excipient form a eutectic mixture. The size reduction obtained through the preparation of a dispersion is usually difficult to obtain. However, by using a fusion technique or solvent evaporation technique, a dispersion of crystalline lipid-regulating agent is prepared
25 in the excipient such that said agent and said excipient form a eutectic mixture. The resulting formulation results in an increase in drug solubility and oral bioavailability, and an improved dissolution rate.

30 The formulation may be administered directly, diluted into an appropriate vehicle for administration, encapsulated into hard gelatin shells or capsules or compressed into tablets for administration, or administered by other means obvious to those skilled in the art.

35

Brief Description of the Drawings

Figure 1 is a graph showing the plasma concentration in fed dogs of the formulation of Example 1 and a reference compound.

Detailed Description of the Invention

10 The bulk lipid-regulating agent may be prepared by any available method, as for example the compound fenofibrate may be prepared by the procedure disclosed in U.S. Patent No. 4,058,552, or the procedure disclosed in U.S. Patent No. 4,739,101, both herein incorporated by reference.

15 The composition comprising the lipid-regulating agent and the excipient in a ratio such that the melting point of both the lipid regulating agent and the excipient is reduced to a single value lower than the melting point of either component is first determined. This composition, i.e. the composition at which the two components exhibit a single melting point, is called the eutectic mixture. A composition of the lipid-regulating agent and the excipient, ranging from about 0.5% (w/w) to about 10% higher than the eutectic mixture, is then heated to a sufficient temperature to obtain a clear solution. The solution is then cooled until a solid mass is formed. As an alternate method, these components at the above mentioned composition range may be dissolved in a suitable solvent to obtain a clear solution. 20 In this latter case, it is necessary to remove the solvent to obtain the solid mass. The solid mass may then be ground, sized and optionally formulated into an appropriate delivery system.

35 The delivery system of the present invention results in increased dissolution rate and bioavailability, and improved dissolution rate of the lipid-regulating agent.

The term "eutectic mixture" refers to a two phase crystalline system that has a melting point that is lower than that of either pure component of the mixture. The presence of a eutectic mixture can be determined by thermal analysis and powder x-ray diffractometry.

Suitable excipients include, for example, polyethylene glycol (PEG), pentaerythritol, pentaerythritol tetraacetate, succinic acid, urea, polyoxyethylene stearates, and poly- ϵ -caprolactone, or more preferably, PEG.

If a solvent evaporation technique is used, the suitable solvents include, for example, methanol-water, ethanol-water, or other water-miscible organic solvent in which the lipid-regulating agent and the polymers have appreciable solubility.

Other pharmaceutically-acceptable excipients may be added to the formulation prior to forming the desired final product. Suitable excipients include, for example, lactose, starch, magnesium stearate, or other pharmaceutically-acceptable fillers, diluents, lubricants, or disintegrants that might be needed to prepare a capsule or tablet.

The resulting composition comprising the lipid-regulating agent may be dosed directly for oral administration, diluted into an appropriate vehicle for oral administration, filled into capsules or made into tablets for oral administration, or delivered by some other means obvious to those skilled in the art. The said composition can be used to improve the oral bioavailability and solubility of said lipid-regulating agent.

The invention will be understood more clearly from the following non-limiting representative examples:

Example 1

5

Fenofibrate and PEG in a ratio of 15:85 was heated to about 85°C until a clear solution was obtained. The solution was then cooled over an ice bath resulting in the formation of a solid mass. The resulting dry solid mass was then
10 ground and sized through a 60-100 mesh screen. 446.7 mg. of the granular formulation (containing 67 mg. fenofibrate) was filled into individual capsules.

15

Example 2

Mixtures of a statin and PEG are prepared and the melting points of these mixtures are determined to locate the eutectic composition. Then the statin and PEG in a
20 ratio that is preferably less than the eutectic composition or to about 10% higher than the eutectic composition is melted to obtain a clear solution, then the solution is cooled over ice bath to form a solid mass. This solid mass is ground and sifted between 60-100 mesh and filled into
25 capsules to contain the appropriate desired dose.

Example 3

Capsules prepared by the process described in Example
5 1, and from a commercial fenofibrate composition, Lipanthyl
67M (Groupe Fournier) (Reference), were administered to a
group of dogs at a dose of 67 mg fenofibrate/dog. The
plasma concentrations of fenofibric acid were determined by
HPLC. Concentrations were normalized to a 6.7 mg/kg dose in
10 each dog. Figure 1 presents the resulting data in graph
form. The results provided as mean \pm SD, n=3, were as
follows:

15 Lipanthyl 67M (Reference):
Cmax = 2.83 \pm 1.40 mcg/ml
Tmax = 1.7 \pm 0.6 hr
t_{1/2} = 14.5 hr
AUC (0-24) = 16.36 \pm 6.93 mcg•hr/ml

20

Capsule of Example 1:
Cmax = 5.20 \pm 1.15 mcg/ml
Tmax = 1.3 \pm 0.6 hr
t_{1/2} = 10.8 hr

25 AUC relative to Reference = 149.08%

Claims

1. A composition comprising the mixture of a lipid-regulating agent and an excipient, in which said agent
5 and said excipient form a eutectic mixture.
2. A composition of claim 1 wherein the lipid-regulating agent is present in the composition in an amount ranging from about 0.5% w/w to about 10% by weight
10 above the eutectic mixture.
3. A composition of claim 1 wherein said lipid-regulating agent is a fibrate.
- 15 4. A composition of claim 3 wherein said fibrate is fenofibrate.
5. A composition of claim 1 wherein said lipid-regulating agent is a statin.
20
6. A composition of claim 5 wherein said statin is prevastatin.
7. A composition of claim 5 wherein said statin is
25 atorvastatin.
8. A composition of claim 1 wherein said excipient is selected from polyethylene glycol, pentaerythritol, pentaerythritol tetraacetate, succinic acid, urea,
30 polyoxyethylene stearates, and poly- ϵ -caprolactone.
9. A composition of claim 8 wherein said excipient is polyethylene glycol.
- 35 10. A delivery system comprising a composition of claim 1.

11. A delivery system of claim 10 wherein said delivery system is a capsule or tablet.
- 5 12. A method of treating hyperlipidemia comprising the administration of a composition of claim 1 to a patient.
- 10 13. A method of treating hyperlipidemia comprising the administration of a composition of claim 4 to a patient.
- 15 15. A method of treating hyperlipidemia comprising the administration of a composition of claim 11 to a patient.




FIG. 1

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/US 00/14109

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K9/48 A61K47/18 A61K47/12 A61K47/26 A61K47/32 A61K47/34 A61P3/04		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ, CHEM ABS Data, BIOSIS		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	SHEU ET AL: "Characterization and dissolution of fenofibrate solid dispersion systems" INTERNATIONAL JOURNAL OF PHARMACEUTICS, NL, AMSTERDAM, vol. 103, no. 2, 1994, pages 137-146, XP002091325 ISSN: 0378-5173 page 138, column 1, last paragraph page 138, column 2, paragraph 1 -page 139, paragraph 3; table 1 ---	1-4, 8, 9
X	US 4 957 746 A (VALDUCCI ROBERTO) 18 September 1990 (1990-09-18) column 1, line 45 - line 49 column 2, line 3 - line 13; claims 1-15 --- -/--	1-3, 8-13, 15
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C.		
<input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents :		
A document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *8* document member of the same patent family	
Date of the actual completion of the international search <p style="text-align: center;">20 September 2000</p>	Date of mailing of the international search report <p style="text-align: center;">27/09/2000</p>	
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer <p style="text-align: center;">Marttin, E</p>	

INTERNATIONAL SEARCH REPORT

Int. l. Application No
PCT/US 00/14109

C. (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 21 57 201 A (BOEHRINGER MANNHEIM GMBH) 30 May 1973 (1973-05-30) page 1, line 2 - line 6 page 9, paragraph 2; example 6 claims 1,4-6 ---	1,3, 8-13,15
A	WO 93 11749 A (WARNER LAMBERT CO) 24 June 1993 (1993-06-24) page 1, line 5 - line 24 page 4, line 25 -page 5, line 13 page 5, line 25 page 6, line 5 - line 30; claims 1-3 ---	1,2, 10-13,15
A	MARGARIT MARIA VICTORIA ET AL: "Physical characteristics and dissolution kinetics of solid dispersions of ketoprofen and polyethylene glycol 6000." INTERNATIONAL JOURNAL OF PHARMACEUTICS (AMSTERDAM), vol. 108, no. 2, 1994, pages 101-107, XP000929782 ISSN: 0378-5173 abstract page 102, column 1, paragraph 3 page 106, column 1, paragraph 5 - paragraph 6 page 106, column 2, line 23 - line 25 -----	1-13,15

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Present claims 1-13, 15 relate to a compound defined by reference to a desirable characteristic or property, namely a "lipid-regulating agent". The term "lipid-regulating agent" as used in the present independent claims 1, 10, 12, 13 and 15 and in dependent claims 2-9, and 11 defines the active agent by its pharmacological effect. However, a compound cannot be sufficiently characterised by its pharmacological effect as it is done by an expression like "lipid-regulating agent", because it is impossible to know which substances are encompassed in this expression. Moreover, a compound cannot be sufficiently characterised by the term "regulating", because this term has no well-recognised meaning and is therefore unclear. Present claims 1-13, 15 relate to a compound, defined by the term "excipient, in which said agent and said excipient form a eutectic mixture". A compound cannot be sufficiently characterised by the term "excipient, in which said agent and said excipient form a eutectic mixture", because this term is vague and unclear.

The claims cover all compounds having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the compounds by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been carried out for the concept of "lipid-regulating agent" and those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to the compounds mentioned in claims 3-7.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 00/14109

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4957746 A	18-09-1990	IT 1180507 B	23-09-1987
		AT 77052 T	15-06-1992
		DE 3586185 A	16-07-1992
		DE 3586185 T	21-01-1993
		EP 0168360 A	15-01-1986
		ES 544649 D	16-12-1986
		ES 8701494 A	01-03-1987
		JP 61033113 A	17-02-1986
		KR 8701959 B	23-10-1987
		SU 1829934 A	23-07-1993
DE 2157201 A	30-05-1973	AT 309690 B	15-07-1973
		DE 2055930 A	18-05-1972
		FR 2113947 A	30-06-1972
		JP 55011645 B	26-03-1980
		NL 7115494 A	16-05-1972
WO 9311749 A	24-06-1993	AT 157864 T	15-09-1997
		AU 3142693 A	19-07-1993
		DE 69222182 D	16-10-1997
		DE 69222182 T	26-02-1998
		DK 617612 T	14-04-1998
		EP 0617612 A	05-10-1994
		ES 2109377 T	16-01-1998
		GR 3025501 T	27-02-1998
		IL 104179 A	20-11-1997
		JP 7504162 T	11-05-1995
		MX 9207390 A	01-06-1993
		NZ 245483 A	21-12-1995
		PT 101132 A, B	31-03-1994
		SG 43179 A	17-10-1997
ZA 9209789 A	23-06-1993		